

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=12; day=8; hr=15; min=35; sec=22; ms=312;]

=====

Reviewer Comments:

<150> PCT/EP2004/011117

<151> 2004-10-05

<150> US10/680,035

<151> 2003-10-07

Please remove the above <150> US10/680,035 and <151> 2003-10-07; they are current, not prior application data.

<210> 3

<211> 6

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 3

His Phe Arg Trp Xaa Lys

1

5

The above <223> response exceeds the Sequence Rules' 72-character line limit; please use a separate <220>-<223> section for the explanation of "<213> Unknown" and one for the "Xaa" explanations. Same errors in subsequent sequences.

<210> 36
<211> 10
<212> PRT
<213> Unknown

<220>

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 36

Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro Thr
1 5 10

Please use separate <220>-<223> sections for the <213> Unknown explanation and the "Xaa" explanations. The above <223> lines exceed the required 72-character line limit. Please insert a <222> response indicating the locations of the Xaa's.

<210> 47
<211> 9
<212> PRT
<213> Unknown

<220> <221> misc_feature
<222> 5

<221> misc_feature

<222> 4, 5, 6, 7, 8

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 47

His Phe Arg Xaa Xaa Xaa Xaa Xaa Lys
1 5

Please insert a hard return after the first <220> above.

Application No: 10680035

Version No: 2.0

Input Set:**Output Set:****Started:** 2008-11-25 11:34:00.825**Finished:** 2008-11-25 11:34:04.213**Elapsed:** 0 hr(s) 0 min(s) 3 sec(s) 388 ms**Total Warnings:** 63**Total Errors:** 67**No. of SeqIDs Defined:** 63**Actual SeqID Count:** 63

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (8)

Input Set:

Output Set:

Started: 2008-11-25 11:34:00.825
Finished: 2008-11-25 11:34:04.213
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 388 ms
Total Warnings: 63
Total Errors: 67
No. of SeqIDs Defined: 63
Actual SeqID Count: 63

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (17)

Input Set:

Output Set:

Started: 2008-11-25 11:34:00.825
Finished: 2008-11-25 11:34:04.213
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 388 ms
Total Warnings: 63
Total Errors: 67
No. of SeqIDs Defined: 63
Actual SeqID Count: 63

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed
E 224	<220>,<223> section required as <213> has Artificial sequence or Unknown in SEQID (20) This error has occurred more than 20 times, will not be displayed
E 341	'Xaa' position not defined SEQID (36) POS (4)
E 341	'Xaa' position not defined SEQID (36) POS (5)
E 341	'Xaa' position not defined SEQID (36) POS (6)
E 341	'Xaa' position not defined SEQID (36) POS (7)
E 105	Multiple identifiers on single line
E 311	Invalid field content in <220> in SEQ ID (47)

SEQUENCE LISTING

<110> HEMOTEQ GMBH

<120> Oligopeptides as Coating Material for Medical Products

<130> HEM-P01078WO

<140> 10680035

<141> 2008-11-25

<150> PCT/EP2004/011117

<151> 2004-10-05

<150> US10/680,035

<151> 2003-10-07

<160> 63

<170> PatentIn Ver. 2.1

<210> 1

<211> 4

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<223> Description of Unknown: unsure of organism origin

<400> 1

Asp Glu Val Asp

1

<210> 2

<211> 4

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<223> Description of Unknown: unsure of organism origin

<400> 2

Tyr Val Ala Asp

1

<210> 3

<211> 6

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 3

His Phe Arg Trp Xaa Lys

1 5

<210> 4

<211> 7

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 4

His Phe Arg Trp Xaa Xaa Lys

1 5

<210> 5

<211> 8

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 5

His Phe Arg Trp Xaa Xaa Xaa Lys

1 5

<210> 6

<211> 9

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7, 8

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 6

His Phe Arg Trp Xaa Xaa Xaa Xaa Lys

1 5

<210> 7

<211> 10
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 5, 6, 7, 8, 9
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 7
 His Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys
 1 5 10

 <210> 8
 <211> 7
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 5
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 8
 His Phe Arg Trp Xaa Lys Pro
 1 5

 <210> 9
 <211> 8
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 5, 6
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 9
 His Phe Arg Trp Xaa Xaa Lys Pro
 1 5

 <210> 10
 <211> 9
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 5, 6, 7
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 10
His Phe Arg Trp Xaa Xaa Xaa Lys Pro
1 5

<210> 11
<211> 10
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 5, 6, 7, 8
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 11
His Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro
1 5 10

<210> 12
<211> 11
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 5, 6, 7, 8, 9
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 12
His Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro
1 5 10

<210> 13
<211> 8
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 5
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 13
His Phe Arg Trp Xaa Lys Pro Trp
1 5

<210> 14
<211> 9
<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 14

His Phe Arg Trp Xaa Xaa Lys Pro Trp

1 5

<210> 15

<211> 10

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 15

His Phe Arg Trp Xaa Xaa Xaa Lys Pro Trp

1 5 10

<210> 16

<211> 11

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7, 8

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 16

His Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro Trp

1 5 10

<210> 17

<211> 12

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7, 8, 9

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 17

His Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro Trp
1 5 10

<210> 18

<211> 8

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 18

His Phe Arg Trp Xaa Lys Pro Val
1 5

<210> 19

<211> 9

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 19

His Phe Arg Trp Xaa Xaa Lys Pro Val
1 5

<210> 20

<211> 10

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 5, 6, 7

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 20

His Phe Arg Trp Xaa Xaa Xaa Lys Pro Val
1 5 10

<210> 21

<211> 11

<212> PRT

<213> Unknown

<220>
<221> misc_feature
<222> 5, 6, 7, 8
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 21
His Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro Val
1 5 10

<210> 22
<211> 12
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 5, 6, 7, 8, 9
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 22
His Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro Val
1 5 10

<210> 23
<211> 5
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 23
Phe Arg Trp Xaa Lys
1 5

<210> 24
<211> 6
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 24
Phe Arg Trp Xaa Xaa Lys
1 5

<210> 25
 <211> 7
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 4, 5, 6
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 25
 Phe Arg Trp Xaa Xaa Xaa Lys
 1 5

 <210> 26
 <211> 8
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 4, 5, 6, 7
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 26
 Phe Arg Trp Xaa Xaa Xaa Xaa Lys
 1 5

 <210> 27
 <211> 9
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature
 <222> 4, 5, 6, 7, 8
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

 <400> 27
 Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys
 1 5

 <210> 28
 <211> 6
 <212> PRT
 <213> Unknown

 <220>
 <221> misc_feature

<222> 4

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 28

Phe Arg Trp Xaa Lys Pro

1 5

<210> 29

<211> 7

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 4, 5

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 29

Phe Arg Trp Xaa Xaa Lys Pro

1 5

<210> 30

<211> 8

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 4, 5, 6

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 30

Phe Arg Trp Xaa Xaa Xaa Lys Pro

1 5

<210> 31

<211> 9

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 4, 5, 6, 7

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 31

Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro

1 5

<210> 32
<211> 10
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5, 6, 7, 8
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 32
Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro
1 5 10

<210> 33
<211> 7
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 33
Phe Arg Trp Xaa Lys Pro Thr
1 5

<210> 34
<211> 8
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 34
Phe Arg Trp Xaa Xaa Lys Pro Thr
1 5

<210> 35
<211> 9
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5, 6
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg,

Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 35

Phe Arg Trp Xaa Xaa Xaa Lys Pro Thr
1 5

<210> 36

<211> 10

<212> PRT

<213> Unknown

<220>

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 36

Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro Thr
1 5 10

<210> 37

<211> 11

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 4, 5, 6, 7, 8

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 37

Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro Thr
1 5 10

<210> 38

<211> 7

<212> PRT

<213> Unknown

<220>

<221> misc_feature

<222> 4

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 38

Phe Arg Trp Xaa Lys Pro Val
1 5

<210> 39

<211> 8

<212> PRT

<213> Unknown

<220>
<221> misc_feature
<222> 4, 5
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 39
Phe Arg Trp Xaa Xaa Lys Pro Val
1 5

<210> 40
<211> 9
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5, 6
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 40
Phe Arg Trp Xaa Xaa Xaa Lys Pro Val
1 5

<210> 41
<211> 10
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5, 6, 7
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 41
Phe Arg Trp Xaa Xaa Xaa Xaa Lys Pro Val
1 5 10

<210> 42
<211> 11
<212> PRT
<213> Unknown

<220>
<221> misc_feature
<222> 4, 5, 6, 7, 8
<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 42
Phe Arg Trp Xaa Xaa Xaa Xaa Xaa Lys Pro Val

<210> 43
 <211> 5
 <212> PRT
 <213> Unknown

<220>
 <221> misc_feature
 <222> 4
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 43
 His Phe Arg Xaa Lys
 1 5

<210> 44
 <211> 6
 <212> PRT
 <213> Unknown

<220>
 <221> misc_feature
 <222> 4, 5
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 44
 His Phe Arg Xaa Xaa Lys
 1 5

<210> 45
 <211> 7
 <212> PRT
 <213> Unknown

<220>
 <221> misc_feature
 <222> 4, 5, 6
 <223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 45
 His Phe Arg Xaa Xaa Xaa Lys
 1 5

<210> 46
 <211> 8
 <212> PRT
 <213> Unknown

<220>

<221> misc_feature

<222> 4, 5, 6, 7

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 46

His Phe Arg Xaa Xaa Xaa Xaa Lys

1 5

<210> 47

<211> 9

<212> PRT

<213> Unknown

<220> <221> misc_feature

<222> 5

<221> misc_feature

<222> 4, 5, 6, 7, 8

<223> Description of Unknown: unsure of organism origin; Xaa can be Pro, Thr, Val, Ala, Arg, Asn, Asp, Cys, Glu, Gln, Gly, His, Ile, Leu, Lys, Met, Phe, Ser, Trp, Thr

<400> 47

His Phe Arg Xaa Xaa Xaa Xaa Xaa Lys

1 5